

<b>L Number</b>	<b>Hits</b>	<b>Search Text</b>	<b>DB</b>	<b>Time stamp</b>
-	8	250/31	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 16:34
-	3417	250/311	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 15:09
-	54	250/311 and base and hollow	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 15:10
-	138	250/311 and hollow	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 15:10
-	10	250/311 and hollow and triang\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 15:17
-	431	(250/\$).ccls. and hollow and triang\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 15:38
-	333	((250/\$).ccls. and hollow and triang\$4) and (base or support or stand or holder)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 15:45
-	174	((((250/\$).ccls. and hollow and triang\$4) and (base or support or stand or holder)) and perpendicular	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 17:24
-	104860	(250/\$).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 17:25
-	86	(250/\$).ccls. and suspension adj system	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 20:38

-	12	(250/\$).ccls. and eigenfrequency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 17:40
-	4504	(250/\$).ccls. and vibration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 17:40
-	56	(250/\$).ccls. and vibration adj (damping or supression)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 17:48
-	1222	(250/\$).ccls. and pneumatic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 17:49
-	43	(250/\$).ccls. and pneumatic and electron adj microscope	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 17:55
-	166	(250/\$).ccls. and base adj structure	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 17:55
-	22	(250/\$).ccls. and base adj structure and hollow	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 19:31
-	1	"2370373".PN.	USPAT	2004/04/10 19:08
-	1	"3772510".PN.	USPAT	2004/04/10 19:18
-	6	(250/\$).ccls. and suspension adj system and electron adj microscope	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 19:22
-	1	(250/\$).ccls. and base adj structure and hollow and electron adj microscope	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 19:37

-	0	(250/\$).ccls. and electron adj microscope and force adj loaded	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 19:38
-	8	(250/\$).ccls. and force adj loaded	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/10 19:39
-	34790	hollow WITH cross adj section	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 18:55
-	217275	triangular	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 18:55
-	16397	base adj structure	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 18:56
-	40	(hollow WITH cross adj section) AND triangular AND (base adj structure)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 19:05
-	21615	TEM OR "TRANSMISSION ELECTRON MICROSCOPE"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 19:05
-	91	(hollow WITH cross adj section) AND (TEM OR "TRANSMISSION ELECTRON MICROSCOPE")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 19:06
-	7033951	stand support base holder structure	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 20:30
-	467071	(stand support base holder structure) and hollow	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 17:36

-	217783	triangular	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 17:36
-	31685	((stand support base holder structure) and hollow) and triangular	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 17:37
-	37	((((stand support base holder structure) and hollow) and triangular) and (eledtron adj beam ion adj beam particle adj beam neutron adj beam)) and (250/\$).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 20:46
-	234	((((stand support base holder structure) and hollow) and triangular) and (eledtron adj beam ion adj beam particle adj beam neutron adj beam))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 17:53
-	181240	electron adj beam ion adj beam particle adj beam neutron adj beam	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 18:25
-	14752	(electron adj beam ion adj beam particle adj beam neutron adj beam) and (250/\$).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 18:27
-	30	electron adj beam and triangle and pedestal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 18:34
-	61	electron adj beam and triangle and holder and hollow	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 18:34
-	101378	(stand support base holder structure) and ((spring or force) adj loaded)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 18:47
-	694	((stand support base holder structure) and ((spring or force) adj loaded)) and (electron adj beam ion adj beam particle adj beam neutron adj beam)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 18:48

-	164	((stand support base holder structure) and ((spring or force) adj loaded)) and (electron adj beam ion adj beam particle adj beam neutron adj beam) and hollow	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 18:48
-	12998	tripod	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 18:49
-	828	camera adj tripod	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 19:00
-	2249	( 248/637 or 248/638 or 248/649 or 248/653 or 248/655 or 248/661 or 248/662 or 248/672 or 248/677 or 248/678).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 20:37
-	41	triangle and hollow and ((electron adj beam ion adj beam particle adj beam neutron adj beam) and (250/\$).ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 19:15
-	8	triangle and hollow and (( 248/637 or 248/638 or 248/649 or 248/653 or 248/655 or 248/661 or 248/662 or 248/672 or 248/677 or 248/678).ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 19:20
-	261	hollow and (( 248/637 or 248/638 or 248/649 or 248/653 or 248/655 or 248/661 or 248/662 or 248/672 or 248/677 or 248/678).ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 19:38
-	16	electron adj beam and (( 248/637 or 248/638 or 248/649 or 248/653 or 248/655 or 248/661 or 248/662 or 248/672 or 248/677 or 248/678).ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 19:21
-	5	(US-4860543-\$ or US-3814356-\$ or US-6646719-\$ or US-6490025-\$ or US-6193199-\$).did.	USPAT	2004/05/19 19:37
-	0	hollow and ((US-4860543-\$ or US-3814356-\$ or US-6646719-\$ or US-6490025-\$ or US-6193199-\$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 19:41
-	5	(( 248/637 or 248/638 or 248/649 or 248/653 or 248/655 or 248/661 or 248/662 or 248/672 or 248/677 or 248/678).ccls.) and (250/\$).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 19:46

-	502	(( 248/637 or 248/638 or 248/649 or 248/653 or 248/655 or 248/661 or 248/662 or 248/672 or 248/677 or 248/678).ccls.) and level\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 19:46
-	91	(( 248/637 or 248/638 or 248/649 or 248/653 or 248/655 or 248/661 or 248/662 or 248/672 or 248/677 or 248/678).ccls.) and level\$3 and feet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 19:47
-	8	(( 248/637 or 248/638 or 248/649 or 248/653 or 248/655 or 248/661 or 248/662 or 248/672 or 248/677 or 248/678).ccls.) and level\$3 adj5 feet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 19:47
-	7048830	stand support base holder structure pedestal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 20:36
-	2249	( 248/637 or 248/638 or 248/649 or 248/653 or 248/655 or 248/661 or 248/662 or 248/672 or 248/677 or 248/678).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 20:37
-	107600	(250/\$).ccls. or (( 248/637 or 248/638 or 248/649 or 248/653 or 248/655 or 248/661 or 248/662 or 248/672 or 248/677 or 248/678).ccls. )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 20:39
-	46533	((250/\$).ccls. or (( 248/637 or 248/638 or 248/649 or 248/653 or 248/655 or 248/661 or 248/662 or 248/672 or 248/677 or 248/678).ccls. )) and (stand support base holder structure pedestal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 20:41
-	16379	((250/\$).ccls. or (( 248/637 or 248/638 or 248/649 or 248/653 or 248/655 or 248/661 or 248/662 or 248/672 or 248/677 or 248/678).ccls. )) and (stand support base holder structure pedestal) and (tube or tubular or extruded or hollow)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 20:43
-	1146	((250/\$).ccls. or (( 248/637 or 248/638 or 248/649 or 248/653 or 248/655 or 248/661 or 248/662 or 248/672 or 248/677 or 248/678).ccls. )) and (stand support base holder structure pedestal) and (tube or tubular or extruded or hollow) and (triangle or triangular)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 20:45
-	181240	(electron adj beam ion adj beam particle adj beam neutron adj beam)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 20:48

-	14768	(electron adj beam ion adj beam particle adj beam neutron adj beam) and ((250/\$).ccls. or (( 248/637 or 248/638 or 248/649 or 248/653 or 248/655 or 248/661 or 248/662 or 248/672 or 248/677 or 248/678).ccls. ))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 20:51
-	8150	(electron adj beam ion adj beam particle adj beam neutron adj beam) and ((250/\$).ccls. or (( 248/637 or 248/638 or 248/649 or 248/653 or 248/655 or 248/661 or 248/662 or 248/672 or 248/677 or 248/678).ccls. )) and (stand support base holder structure pedestal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/19 20:53
-	576	(electron adj beam ion adj beam particle adj beam neutron adj beam) and ((250/\$).ccls. or (( 248/637 or 248/638 or 248/649 or 248/653 or 248/655 or 248/661 or 248/662 or 248/672 or 248/677 or 248/678).ccls. )) and (stand support base holder structure pedestal) and (triangle or triangular)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 15:26
-	2	"20040061066"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 15:29
-	4	"4044256"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/20 17:42
-	2	"6646719"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 14:33
-	5661	(250/311 250/306 250/309 248/638).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 16:36
-	1845	((250/311 250/306 250/309 248/638).CCLS.) and (stand or support or frame)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 16:37
-	267	((250/311 250/306 250/309 248/638).CCLS.) and (stand or support or frame)) and (hollow or extruded)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 16:37

-	640	(((250/311 250/306 250/309 248/638).CCLS.) and (stand or support or frame)) and tub\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 16:38
-	3342	triangular near4 (cross adj seccion or profile)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 16:41
-	0	((((250/311 250/306 250/309 248/638).CCLS.) and (stand or support or frame)) and (hollow or extruded)) or (((250/311 250/306 250/309 248/638).CCLS.) and (stand or support or frame)) and tub\$4)) and (triangular near4 (cross adj seccion or profile))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 16:40
-	1192	((250/311 250/306 250/309 248/638).CCLS.) and base	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 16:41
-	0	(((250/311 250/306 250/309 248/638).CCLS.) and base) and triangular near4 (cross adj seccion or profile)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 16:41